## RECEIVED CENTRAL FAX CENTER

FEB 2 0 2007

703 668 8200

P.004

Application No. 10/791,536 Attorney Docket No. 8964-000010/US

## AMENDMENTS TO THE CLAIMS

The following is a complete, marked up listing of revised claims with a status identifier in parentheses, underlined text indicating insertions, and strikethrough and/or double-bracketed text indicating deletions.

## LISTING OF CLAIMS

- (CURRENTLY AMENDED) A method for generating an adult oviparous teleost ornamental fish, comprising:
  - (a) generating a transgenic fish, wherein:

the genome of the transgenic fish comprises:

one or more transgenes at least one of which encodes a fluorescent protein, and

a <u>systemically expressed</u> promoter which is operably linked to the transgene encoding the fluorescent protein, and

the transgenic fish expresses the fluorescent protein encoded by the transgene;

- (b) breeding the transgenic fish with a fish with different phenotype or pattern to obtain transgenic progeny; and
- (c) screening for newthe transgenic progeny at a mature phase of development and selecting those transgenic progeny that exhibit aexhibiting different-phenotype or pattern unlikefrom either parent fish.
- 2. (PREVIOUSLY PRESENTED) The method as set forth in claim 1, wherein the transgenic fish and the fish with different phenotype or pattern are the same family, genus, or species.
- 3. (PREVIOUSLY PRESENTED) The method as set forth in claim 1, wherein the transgenic fish and the fish with different phenotype or pattern are different family, genus, or species.

Application No. 10/791,536 Attorney Docket No. 8964-000010/US

- 4. (PREVIOUSLY PRESENTED) The method as set forth in claim 1, wherein the transgenic fish and the fish with different phenotype or pattern are different species.
- 5. (PREVIOUSLY PRESENTED) The method as set forth in claim 1, wherein the fluorescent protein is selected from the group consisting of green fluorescent protein (GFP), modified green fluorescent protein, enhanced green fluorescent protein (EGFP), red fluorescent protein (RFP), enhanced red fluorescent protein (ERFP), blue fluorescent protein (BFP), enhanced blue fluorescent protein (EBFP), yellow fluorescent protein (YFP), enhanced yellow fluorescent protein (EYFP), cyan fluorescent protein (ECFP).
- 6. (PREVIOUSLY PRESENTED) The method as set forth in claim 1, wherein the fluorescent protein is selected from the group consisting of green fluorescent protein (GFP), modified green fluorescent protein, enhanced green fluorescent protein (EGFP), red fluorescent protein (RFP), enhanced red fluorescent protein (ERFP), blue fluorescent protein (BFP), and enhanced blue fluorescent protein (EBFP).
- 7. (PREVIOUSLY PRESENTED) The method as set forth in claim 1, wherein the fluorescent protein is selected from the group consisting of green fluorescent protein (GFP), modified green fluorescent protein, enhanced green fluorescent protein (EGFP), red fluorescent protein (RFP), and enhanced red fluorescent protein (ERFP).
- 8. (PREVIOUSLY PRESENTED) The method as set forth in claim I, wherein the phenotype of the fish with different phenotype or pattern is selected from the group consisting of colors, body shapes, body sizes, body transparency, grain colors, stripe colors, fin shapes, fin sizes, tail shape, tail sizes, eye color, eye shapes, and any observable phenotypic differences from those of the transgenic fish.
- 9. (PREVIOUSLY PRESENTED) The method as set forth in claim 1, wherein the phenotype of the fish with different phenotype or pattern is selected from the group consisting of colors, body shapes, body transparency, grain colors, and stripe colors.

Application No. 10/791,536 Attorney Docket No. 8964-000010/US

- 10. (PREVIOUSLY PRESENTED) The method as set forth in claim 1, wherein the pattern of the fish with different phenotype or pattern is selected from the group consisting of grain patterns, stripe patterns, and swimming patterns.
- 11. (PREVIOUSLY PRESENTED) The method as set forth in claim 4, wherein the transgenic fish and the fish with different phenotype or pattern are independently selected from the group consisting of Cichlidae, Fighting fish, Catfish, Characidae, Cyprinidae, and Killifish.
- 12. (PREVIOUSLY PRESENTED) The method as set forth in claim 11, wherein the Cichlidae is selected from the group consisting of *Pseudotropheus*, *Cichlasoma*, *Apistogramma*, *Pterophyllum*, and *Symohysodon*.
- 13. (PREVIOUSLY PRESENTED) The method as set forth in claim 11, wherein the Fighting fish is selected from the group consisting of *Betta* and *Macropodus*.
- 14. (PREVIOUSLY PRESENTED) The method as set forth in claim 11, wherein the Catfish is selected from the group consisting of *Corydoras*, *Ancistrus*, and *Pterygoplichthys*.
- 15. (PREVIOUSLY PRESENTED) The method as set forth in claim 11, wherein the Characidae is selected from the group consisting of Tetras, and Carnegiella.
- 16. (PREVIOUSLY PRESENTED) The method as set forth in claim 11, wherein the Cyprinidae is selected from the group consisting of Cyprinus, Brachydanio, Danio, and Carassius.
- 17. (CURRENTLY AMENDED) The method as set forth in claim 11, wherein the Killifish is selected from the group consisting of Medaka, Rivulines, and <u>Livebearing-Egg-Laying</u> Toothcarps.
- 18. (PREVIOUSLY PRESENTED) The method as set forth in claim 16, wherein the Cyprinidae is selected from the group consisting of *D. aerostomus*, *D. aequipinnatus*, *D.*

Application No. 10/791,536 Attorncy Docket No. 8964-000010/US

malabaricus, D. albolineatus, D. annandalei, D. apogon, D. apopyris, D. assamensis, D. choprae, D. chrysotaeniatus, D. dangila, D. devario, D. fangfangae, D. frankei, D. fraseri, D. gibber, D. interruptus, D. kakhienensis, D. kyathit, D. laoensis, D. leptos, D. maetaengensis, D. malabaricus, D. naganensis, D. neilgherriensis, D. nigrofasciatus, D. pathirana, D. regina, D. rerio, D. roseus, D. salmonata, D. shanensis, D. spinosus, Brachydanio frankei, and Branchydanio sp.

- 19. (PREVIOUSLY PRESENTED) The method as set forth in claim 17, wherein the medaka is selected from the group consisting of Oryzias javanicus, Oryzias latipes, Oryzias nigrimas, Oryzias luzonensis, Oryzias profundicola, Oryzias matanensis, Oryzias mekongensis, Oryzias minutillus, Oryzias melastigma, O. curvinotus, O. celebensis, X. oophorus, and X. saracinorum.
- 20. (PREVIOUSLY PRESENTED) The method as set forth in claim 1, wherein the new transgenic progeny is selected from the group consisting of Cichlasoma, TK1 red × O. curvinotus, TK1 green × O. curvinotus, TK2 red × Brachydanio frankei, TK2 red × Branchydanio sp, TK2 green × Brachydanio frankei, TK2 green × Branchydanio sp, and Purple Zebra Fish.
- 21. (PREVIOUSLY PRESENTED) The method as set forth in claim 1, wherein the new transgenic progeny is selected from the group consisting of TK1 red × O. curvinotus, TK1 green × O. curvinotus, TK2 red × Brachydanio frankei, TK2 red × Branchydanio sp, and Purple Zebra Fish.
- 22. (PREVIOUSLY PRESENTED) The method as set forth in claim 1, wherein the new transgenic progeny is selected from the group consisting of TK2 red × Brachydanio frankei and TK2 red × Branchydanio sp.
- 23. (CURRENTLY AMENDED) The ornamental fish which is prepared <u>from the transgenic</u> <u>progeny</u> according to the method of Claim 1.

Application No. 10/791,536 Attorney Docket No. 8964-000010/US

24. (PREVIOUSLY PRESENTED) The fish as set forth in claim 23, wherein the fish is selected from the group consisting of TK1 red  $\times$  O. curvinotus, TK1 green  $\times$  O. curvinotus, TK2 red  $\times$  Brachydanio frankei, TK2 red  $\times$  Brachydanio sp, and Purple Zebra Fish.

\* \* \* \* \*